# SINGER MODEL 3337

SEWING LIGHTWEIGHT FABRICS
Examples: Batiste, chiffon, organza, organdy, tricot, light weight iersey, silk, light weight linen

Examples: Batiste	, chiffon, or	ganza, organdy, tricot, l			reight linen
			NEEDLE TYPE STITCH		
	STITCH	APPLICATION	NEEDLE SIZE	LENGTH	HELPFUL TIPS
BASIC SEWING					
	0	Sewing seams	Regular Point; Size 11/80	2	
	0	Topstitching	Regular Point; Size 11/80	2	
	}	Seam finishes	Regular Point; Size 11/80	2	Narrow the zig zag by turning the Stitch Selector dial to the right towards the narrow point of the zigzag.
	*	Seam finishes; Elastic insertion	Regular Point; Size 11/80	1	
	γ.γ.	Blind hems	Regular Point; Size 11/80	2	Loosen upper thread tension slightly
	$\Lambda$ . $\Lambda$	Shell tuck hems	Regular Point; Size 11/80	3	Best on lightweight knits like tricot
STRETCH					
	<b>**</b>	Blind hem on stretch knit fabric	Ball Point; Size 11/80	3	
	⊕≡≡≡	Seams for stretch knit fabrics	Ball Point; Size 11/80	\$1 or \$2	
	0===	Seams for stretch knit fabrics	Ball Point; Size 11/80	\$1 or \$2	Use this stitch for a narrower seam allowance
	777	Seam & seam finish sewn at same time	Ball Point; Size 11/80	<b>S1</b>	Sew within seam allowance, then trim excess fabric next to raw edge
DECORATIVE					
	3	Decorative embellishment; Fabric edges	Regular Point; Size 11/80	1	Use lightweight tear-away stabilizer under fabric to prevent puckering
	77/	Decorative embellishment	Regular Point; Size 11/80	3	
	\$	Decorative embellishment	Regular Point; Size 11/80	<b>S2</b>	
	7	Decorative embellishment	Regular Point; Size 11/80	<b>S1</b>	
	<b>}</b>	Decorative embellishment	Regular Point; Size 11/80	<b>S1</b>	
	}	Decorative embellishment	Regular Point; Size 11/80	1	Use lightweight tear-away stabilizer under fabric to prevent puckering
	ý	Join lace to fabric	Regular Point; Size 11/80	S2	
	*	Decorative embellishment	Regular Point; Size 11/80	<b>S1</b>	Use lightweight tear-away stabilizer under fabric to prevent puckering
	XX	Decorative embellishment	Regular Point; Size 11/80	<b>S1</b>	
BUTTONHOLE					
		Sewing buttonholes	Regular Point or Ball Point; Size 11/80	1 Parameter O	Use tear-away stabilizer under buttonhole; Sew on a test fabric first

SEWING MEDIUM WEIGHT FABRICS
Examples: cotton, wool, satin, chambray, von. linen. t-shirt knit

Examples: cotton, wool, satin, chambray, rayon, linen, t-shirt knit						
			NEEDLE TYPE	STITCH		
	STITCH	APPLICATION	NEEDLE SIZE	LENGTH	HELPFUL TIPS	
BASIC SEWING						
	0	Sewing seams	Regular Point;	2.5		
		0	Size 14/90			
	0	Topstitching	Regular Point;	3		
			Size 14/90			
	}	Sewing seam finishes	Regular Point;	2	Narrow the zig zag by turning the Stitch Selector dial to the right	
	>	ocum gocum minorico	Size 14/90	_	towards the narrow point of the zigzag.	
	*	Elastic insertion;	Regular Point;		Dadina stitch lausth fan nancisins tagus	
	>	Repairing tears	Size 14/90	2	Reduce stitch length for repairing tears	
	$\lambda_{-}\lambda_{-}$	Blind hems	Regular Point;	2	Loosen upper thread tension slightly	
	~	billiu liellis	Size 14/90	2	Loosen upper timeau tension siightiy	
	$\Delta$	Shell tuck hems	Regular Point;	3	Best on medium weight stretch fabrics	
			Size 14/90	-	2001 011 1110 11111 1110 11111 1110 11111 1110 11111	
STRETCH						
	3	Blind hem on stretch	Ball Point;			
	~~	fabric	Size 14/90	2		
	0≡	Seams for stretch knit	Ball Point;			
	III	fabrics	Size 14/90	S1 or S2		
	Ш	iaurics	3126 14/30			
	0	Coomo fou china de la 100	Dell Deliet			
	0===	Seams for stretch knit	Ball Point;	S1 or S2		
	III	fabrics	Size 14/90			
	$\sim$	Seams & seam finish	Ball Point;	S2	Sew within seam allowance, then trim excess fabric next to raw	
	$\triangleright$	for stretch knit fabrics	Size 14/90		edge	
	ь.					
		Seam & seam finish	Ball Point;	<b>S1</b>	Sew within seam allowance, then trim excess fabric next to raw	
	A	for stretch fabric	Size 14/90	31	edge	
		Seam & seam finish	Ball Point;		Sew within seam allowance, then trim excess fabric next to raw	
	1111	for stretch fabric	Size 14/90	S1	edge	
	- ' '				-	
DECORATIVE	_	Description				
	3	Decorative	Regular Point;	1	Use lightweight tear-away stabilizer under fabric to prevent	
	)	embellishment; Fabric edges	Size 14/90	1	puckering	
	V					
	X	Decorative	Regular Point;	<b>S1</b>	Use lightweight tear-away stabilizer under fabric to prevent	
	^	embellishment	Size 14/90		puckering	
	$\otimes$	Decorative	Regular Point;		Use lightweight tear-away stabilizer under fabric to prevent	
	*	embellishment	Size 14/90	<b>S1</b>	puckering	
		embemsiment	312e 14/30		puckering	
		Decorative	Regular Point;		Use lightweight tear-away stabilizer under fabric to prevent	
		embellishment	Size 14/90	S1 or S2	puckering	
			- ,		r0	
	777	Decorative	Regular Point;	S2	Use lightweight tear-away stabilizer under fabric to prevent	
	7	embellishment	Size 14/90	32	puckering	
	_	D: .:	Band 5 1 1		Hee lightweight took cover stabilizes on the fall to your	
	$\exists$	Decorative	Regular Point;	<b>S1</b>	Use lightweight tear-away stabilizer under fabric to prevent	
		embellishment	Size 14/90		puckering	
	<b>4</b>	Decorative	Regular Point;		Use lightweight tear-away stabilizer under fabric to prevent	
		embellishement	Size 14/90	1	puckering	
		Cindemonencia	3120 147 30		packering	
	5	Decorative	Regular Point;	_		
	M	embellishement	Size 14/90	2		
	<b>\$</b>	Decorative	Regular Point;	2	Use lightweight tear-away stabilizer under fabric to prevent	
	>	embellishment	Size 14/90	_	puckering	
	1	December -	Bogular Balan			
	1	Decorative	Regular Point;	<b>S1</b>		
		embellishment	Size 14/90			
	$\lambda$	Decorative	Regular Point;			
	3	embellishment	Size 14/90	S1		
	¥	Decorative	Regular Point;	S2		
1	ν.	embellishment	Size 14/90	32		
	~					

## SEWING MEDIUM WEIGHT FABRICS CONTINUED

	** ***	TABINICS CONTINUE			
			NEEDLE TYPE	STITCH	
	STITCH	APPLICATION	NEEDLE SIZE	LENGTH	HELPFUL TIPS
DECORATIVE					
	\$	Decorative embellishment	Regular Point; Size 14/90	<b>S2</b>	Use lightweight tear-away stabilizer under fabric to prevent puckering
	3	Decorative embellishment	Regular Point; Size 14/90	<b>S2</b>	
	Ę	Decorative embellishment	Regular Point; Size 14/90	S2	
	*	Decorative embellishment	Regular Point; Size 14/90	S2	Use lightweight tear-away stabilizer under fabric to prevent puckering
	*	Decorative embellishment	Regular Point; Size 14/90	<b>S1</b>	Use lightweight tear-away stabilizer under fabric to prevent puckering
	ZZZZ	Decorative embellishment	Regular Point; Size 14/90	S2	Use lightweight tear-away stabilizer under fabric to prevent puckering
BUTTONHOLE					
		Sewing buttonholes	Regular Point or Ball Point; Size 14/90	1	Use tear-away stabilizer under buttonhole; Sew on a test fabric first

# SEWING HEAVY WEIGHT FABRICS

Examples: Denim, canvas, duck, fleece, upholstery, corduroy, garment-weight leather or suede

	, i	ik, fieece, upfiolistery, c	NEEDLE TYPE	STITCH	
	CTITCLI	ADDUCATION			HELDELH TIDE
	STITCH	APPLICATION	NEEDLE SIZE	LENGTH	HELPFUL TIPS
BASIC SEWING					
	0	Sewing seams	Regular Point; Size 16/100	3	
	0	Sewing seams or topstitching	Regular Point; Size 16/100	3	Use this stitch if you want a narrower seam allowance, or for topstitching.
	}	Seam finishes	Regular Point;	3	Sew within seam allowance, then trim excess fabric next to raw
			Size 16/100		edge
	$\geqslant$	Elastic insertion; Repairing tears	Regular Point; Size 16/100	2	Reduce stitch length for repairing tears
STRETCH					
	≡≡≡	Seams for stretch fabrics	Ball Point; Size 16/100	S1 or S2	
	0≡≡≡	Seams for stretch fabrics	Ball Point; Size 16/100	S1 or S2	Use this stitch if you want a narrower seam allowance.
	WW	Seams and seam finishes for stretch fabrics	Ball Point; Size 16/100	<b>S2</b>	Sew within seam allowance, then trim excess fabric next to raw edge
	77777	Seams and seam finishes for stretch fabrics	Ball Point; Size 16/100	<b>S1</b>	Sew within seam allowance, then trim excess fabric next to raw edge
DECORATIVE					
	3	Decorative embellishment	Regular Point; Size 16/100	1.5	Use lightweight tear-away stabilizer under fabric to prevent puckering
	*	Decorative embellishment	Regular Point; Size 16/100	<b>S1</b>	
	M	Decorative embellishment	Regular Point; Size 16/100	S1 or S2	Use lightweight tear-away stabilizer under fabric to prevent puckering
	777	Decorative embellishment	Regular Point; Size 16/100	S2	
	$\forall$	Decorative embellishment	Regular Point; Size 16/100	<b>S1</b>	
	XXX	Decorative embellishment	Regular Point; Size 16/100	<b>S1</b>	
	\$	Decorative embellishment	Regular Point; Size 16/100	1.5	Use lightweight tear-away stabilizer under fabric to prevent puckering
	W	Decorative embellishment	Regular Point; Size 16/100	3	
BUTTONHOLE					
		Sewing buttonholes	Regular Point or Ball Point; Size 16/100	1=== 0	Use tear-away stabilizer under buttonhole; Sew on a test fabric first